INDEX TO VOLUME 74

The Index for Volume 74 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Abscisic acid 614
Acridine orange 145
Adams, G. C., Jr., and E. E. Butler. Re-interpretation of sexuality of Thanatephorus cucumeris anastomosis group four 793
———. See Punja et al. 917
Adams, P. R. See Deploey et al. 847
Adhesive material 777
Advances in microbial ecology, volume 4; review 356
Aeration, effect of on apothecia, sclerotia and growth 1000
Aerobiology 886
Aflatoxin 718
A fungus flora of Warwickshire; review 357
Agglutination 697f, 698
Ajello, L. See Ellis and Ajello 144
Alcorn, S. M. See Young et al. 504
Aldrich, H. C. Influence of inorganic ions on lime color in Myxomycetes 404
Alexopoulos, C. J. See Nelson et al. 541
Alfieri, S. A., Jr., N. E. El-Gholl, and C. L. Schoulties. Homothallism in Calonectria ilicicola 513
Amino acids 834
Amon, J. P., and S.-p. Yei. Effect of salinity on growth of two marine fungi 117
Amylase 847
  effect of temperature and pH on activity of 848, 849
Anagnostakis, S. L. Improved defined medium 826
Anamorphs 846
  in Fusarium 759, 764
Anastomosis groups 337
  group four 793
Anderson, J. B. Bifactorial heterothallism and vegetative diploidy in Clitocybe tabescens 911
Antibodies 315
Antigen 313
Antiserum 316
Apothecium
  development 1000
  morphology 1004
  production in light 1000, 1003
Aragaki, M. See Trichilo and Aragaki 927
Arctic tundra fungi 576
Armbruster, B. L. Sporangiogenesis in three genera of Saprolegniaceae. I. 433; II. 975
Armstrong, J. See Wiley et al. 886
Arnolds, E., and M. Noordeloos. Fungorum rariorum icones coloratae, Pars XII, new, rare and interesting species of Entoloma; review 537
Arora, D., and W. R. Burk. Stinkhorn new to North America 501
Artificial seawater medium 803
Ascomycotina, classification of 294
Ascospore structure 363
Atrazine 801
  adsorption of 804
  effect on marine fungi 804
  utilization of 804
Authors' names
  citations of 250
  ex, use of 251
Auxotrophic mutants 912
  enrichment of 668
Azygospores
  in vitro growth of 954
  in weed seeds 1026f–1030f

Bacon, C. W. See Rykard et al. 648
Badham, E. R. Tropisms in Psilocybe cubensis 275
Bandoni, R. J. See Oberwinkler and Bandoni 634
Bark, representatives of form-genera on 836, 838, 839, 841
Baroni, T. J. Tricholosporum and notes on Omphaliaster and Clitocybe 865
Basidiocarp
  formation 917
  structure 917, 922f
Basidiomycetous yeasts 294
Basidiomycotina, classification of 294
Baxter, J. W. Inability of Phragmidium species to infect species of Agropyron 1020
Bays, D. C., and D. F. Hindal. Nutritional factors affecting synnema and dark pigment formation 625
Beech bark disease 836
Bennett, W. E. See Whitney et al. 677
Berch, S. M., and J. A. Fortin. Zygospore germination in Endogone incrassata 861
———, and B. Kendrick. Vesicular-arbuscular mycorrhizae of ferns and fern-allies 769
Bhagyanarayna, G. See Ramacher and Bhagyanarayana 675
Bifactorial heterothallism 911
Biological delignification 943
Blanchard, R. O. See Cotter and Blanchard 836
Bloss, H. E. Mycorrhizae in Plantago ovata 505
Boise, J. New graminicolous species of Xylaria 467
Boone, D M. See Weidemann et al. 59
Boyd, P. E., and J. Kohlmeyer. Temperature influence on seasonal and geographic distribution of three marine fungi 894
Brain, A. P. R., P. Jeffries, and T. W. K. Young. Septum ultrastructure in Tieghemiomyces californicus 173

Brown, R. D., Jr. See Stipes et al. 138
Brown-rot fungi 599
Buffer, effect on zoospore production 824
Burdsall, H. H., Jr. See Weidemann et al. 59
Burk, W. R. See Arora and Burk 501
———, S. L. Flegler, and W. M. Hess. Ultrastructure of species of Gasteromycetes 166
Burt, W. R., and J. Cazin, Jr. Comparison of ribonucleases from Cryptococcus laurentii and Tremella foliacea 66
Butler, E. E. See Adams and Butler 793

Calvert, O. H. See Foudin and Calvert 1041
Cankers, on beech 836
Capparelli, R. See Iannelli et al. 313
Carbon/nitrogen nutrition 625, 626, 627, 640
Carbon : nitrogen ratio, effect of, on hyphopodia 104
Carboxymethylcellulase 460
Carter, A., and D. Malloch. New species of Micropyxis 346
Cazin, J., Jr. See Burt and Cazin 66
———. See Kitz et al. 110
Cell cycle 412
Cellular slime mold 607, 695
Cellulolytic enzymes 460
Cell wall degradation 297
Centrum types 735
Christensen, M. Aspergillus ochraceus group 210
———. See Stahl and Christensen 877
———, and J. S. States. Aspergillus nidulans group 226
Clover rust taxonomy 269
Code of nomenclature 250
Cole, G. T., and B. Kendrick (Eds.). Biology of conidial fungi; review 532
Cole, R. J. See Wicklow et al. 398
Compendium
  cotton diseases; review 356
  elm diseases; review 356
  potato diseases; review 356
Conidiogenesis 123, 236
Conidiophore morphology 382
Conidium development 648
Cooper, B. H. [Review of] Laboratory handbook of medical mycology 352
Copepod pathogens 556
Cope, W. E. See Welty et al. 265
Corn
  Aspergillus flavus in 423
  fungi found in 425
  sclerotium production on 398
Cotter, H. van T., and R. O. Blanchard. Fungal flora of Fagus grandifolia bark 836
Couch, J. N. See Sweeney et al. 162
Crabtree, S. L., and R. V. Gessner. Growth and nutrition of salt-marsh fungi 640
Crane, J. L., and S. J. Hughes. Capnocheirides: a new generic name 752
Cranford, D. L. See Sutherland et al. 511
Cristinzio, G. See Iannelli et al. 313
Crozier formation 256
Culberson, C. F. See W. L. Culberson et al. 662
Culberson, W. L., C. F. Culberson, and A. Johnson. New endemic red-fruited Cladonia 662
Cultural characters of Steccherinum oreophilum 20
Cytochemistry 27–29, 34
  of sorocarps 608, 612, 613
Cytology 45–53
  perithecia 725
  rhizomorphs 671
  Sphaerobolus stellatus 54

Danielson, R. M. See Zak et al. 685
Dargan, J. S. New Xylaria 523
Deasey, M. C. Spore formation by Fonticula alba 607
Decomposition of lignin 511
Defined media 826, 827
Dehumidification 1014
Delignification by Basidiomycetes 943
DeLyzer, A. J. See Perry et al. 549
Dendrogram of genetic similarity 573
Deploey, J. J., M. Nasta, and P. R. Adams. Quantitative determinations of temperature and pH stability of extracellular amylase 847
Detroy, R. W. See Freer and Detroy 943
Developmental morphology of ascocarp 725
Developmental studies on the MSA 1
Development
  ascocarp 142, 724
  perithecium 320
Discoidins 695
Domnas, A. J., S. M. Fagan, and S. Jaronski. Factors influencing zoospore production in liquid cultures 820
Dowsett, J. A., J. Reid, and A. Hopkin. On Cephalosporium balanoides 687
Double diffusion 314
Drying method 1014
Dunn, P. H. See Reynolds and Dunn 854
Dykstra, M. J. Cytological examination of Sphaerobolus stellatus fruiting bodies 44

Ectomycorrhizae 54, 334, 479
  associated with Tsuga 481–486
  host-specificity of 479
  nitrogen nutrition in 334
Edwards, H. H. See Onyile et al. 777
Electrophoresis 138
Elemental composition of stalks 1016
Elements in Clastoderma stalks 1017
El-Gholl, N. E. See Alfieri et al. 513
Ellis, J. J., and L. Ajello. Unusual source for Apophysomyces elegans and method for stimulating sporulation of Saksenaea vasiformis 144
Embree, R. W. See Kitz et al. 110
Emert, G. H. See Stipes et al. 138
Endemic species of Cladonia 662
Endogonaceae 77, 86, 88
Endomycorrhizae 152, 154, 156
Energy dispersive X-ray analysis 404
Entomogenous fungi 201, 242, 332, 333f
  impact on termites 244
Entomopathogen 549
Environmental test chamber 887f
Environment, influence on basidiocarp 917

Enzyme activity 95, 97f, 98f, 738
assays 67, 69, 73
Enzymes 460, 738, 847, 851
effect on hyphopodia 780
in Agaricus brunescens 95–97
in salt-marsh fungi 297
in species differentiation 138, 140f, 141
Erdos, G. W., and D. Whitaker. Discoidins in sexual cycle of Dictyostelium discoideum 695
Errata, notice of 864
Esser, T. E. See Ogawa et al. 681
Euphorbiaceae 675
Evans, R. C. See Stempen 26

Factors affecting zoospore production 820
Fagan, S. M. See Domnas et al. 820
Farr, D. F. See Miller et al. 576
Farr, M. L. Notes on Myxomycetes 339
———. Presidential address 1
———. [Review of] Indian Myxomycetes 353
———, and H. W. Keller. Family Elaeomyxaceae validated 857
Fatty acids 376
Federici, B. A. Inviability of interspecific hybrids 555
Federici, F. Extracellular enzymatic activities 738
Fell, J. W. See Newell and Fell 508
Fergus, C. L. Heat resistance of some mesophilic fungi 149
Flegler, S. L. Scanning ultrastructural histochemical procedure 348
———. See Burk et al. 166
Foliicolous fungi 854
Foray, 1978 526
list of fungi collected 528–531
Formae speciales in Fusarium 313
Form-genera 932
Fortin, J. A. See Berch and Fortin 861
Foudin, A. S., and O. H. Calvert. Schizophyllum commune as a possible mycotoxin producer in association with sorghum grain 1041
Freer, S. N., and R. W. Detroy. Biological delignification of ^{14}C-labeled lignocelluloses by Basidiomycetes 943
Fruiting structure induction 508
Fungi
as inoculum in mildew-resistance testing 886
associated with Tsuga 481–486
in mangrove swamps 1021
isolated from environmental test chamber 888, 889
list of, on beech bark 838
of India (1971–76); review 356
on beech bark 831
Furlan, V., and J. A. Fortin. First international directory of mycorrhizae researchers; review 538

Gauger, W. See James and Gauger 744
Geastroid fungi 712
Genetic relationships in genotypic classes 570
Genetics of Mucor 744
Genetic variability 93–101
Genotype of germ sporangia 746
Genotypic classes 93, 99, 570
Geographic distribution of marine fungi 894, 897, 901
Germination 45, 52, 112, 115
conidium 395
effect of storage on 553
uredospore 472
zygospores 549, 746, 861
Germ tube formation 271
Gessner, R. V. See Crabtree and Gessner 640
———. See Onyile and Gessner 103
———. See Onyile et al. 777
Gigaspora spores in weed seeds 1026
Gilbertson, R. L. See Nakasone and Gilbertson 599
———. See Young et al. 504
Ginns, J. 20
Glomus, orthography 92
Goos, R. D. [Review of] Microbial collections of major importance to agriculture 354
———. See Kaplan and Goos 684
Gottwald, T. R. Taxonomy of pecan scab fungus 382
Graham, J. H. Effect of citrus root exudates on chlamydospore germination of vesicular-arbuscular mycorrhizae 831
Graminicolous Xylaria 467
Griffin, D. H., and D. C. Walton. Regulation of abscisic acid formation by phosphate 614
Grogan, R. G., G. A. Zentmeyer, and E. B. Cowling (Eds.) Annual review of phytopathology, Vol. 19, review 537
———. See Punja et al. 917
Growth, germ tube 952
Growth rates in Radiomyces species 114

Hammill, T. M., and J. S. Shipman. Dendrostilbella hanlinii, new synnemental hyphomycete 932
Hanlin, R. T. Conidiogenesis in Spiniger meineckellus 236–241
Haustorium 812f, 813, 814f, 815f, 816
Heather, W. A. See Singh and Heather 472
Heat resistance 149
Hebert, R. L. See Wiley et al. 886
Herbicide 801
Heterokaryosis 744
Heterokaryons 794, 797
Hesseltine, C. W., and R. F. Rogers. Longevity of Aspergillus flavus 423
Hess, W. M. See Burk et al. 166
———. See Oh and Hess 1032
Hill, T. W., and J. T. Mullins. Association of UDPG transferase activity with cell walls 851
Hindal, D. F. See Bays and Hindal 625
———. See McDaniel and Hindal 271
———. See Marshall et al. 376
History of MSA 1
Hock, B. See Sautter and Hock 256
Homokaryotic fruiting 796, 797
Homothallism 513, 793
Hopkin, A. See Dowsett et al. 687
Horn, B. W. See Wicklow et al. 398
Host-parasite relationship 810, 816f

Hubbell, D. H. See Siqueira et al. 952
Hughes, G. C. [Review of] Nordic Journal of Botany 354
Hughes, S. J. [Review of] Biology of conidial fungi 532
———. See Crane and Hughes 752
Hybrid
  inviability 555
  zygote viability 557
Hyphal wall growth 852
Hyphopodia 103, 777, 779f, 781f
  carbon : nitrogen ratio, effect on 103, 105
  environment, effect on 103–105

Iannelli, D., R. Capparelli, G. Cristinzio, F. Marziano, F. Scala, and C. Noviello. Serological differentiation in Fusarium oxysporum 313
Illumination, effect of, on growth 641, 643
Immunoglobulin 315
Incompatibility in Fusarium 767
Insect control 1014
Interaction of aeration and light, 1000, 1007
Interspecific hybrids 555
Isolates of Fusarium in section Liseola 760, 761
Isozyme 93, 95
  electrophoresis 570

Jaitly, A. K., and J. N. Rai. Thermophilic and thermotolerant fungi isolated from mangrove swamps 1021
James, F. R., and W. Gauger. Genetics of Mucor hiemalis 744
Jaronski, S. See Domnas et al. 820
Jeffries, P. See Brain et al. 173
Jensen, J. D. Development of Gelasinospora reticulospora 724
Johnson, A. See W. L. Culberson et al. 662
Johnson, G. T. See White and Johnson 718

Kakishima, M., and S. Sato. Puccinia velutina: a new caricicolous rust and perfect stage 427
Kaplan, A. M. See Wiley et al. 886
Kaplan, J. D., and R. D. Goos. Effect of water potential on zygospore formation 684
Karyology 103
Keller, H. W. See Farr and Keller 857
———. See Whitney and Keller 619
Kendrick, B. See Berch and Kendrick 769
Keys
  Aspergillus nidulans group 231
  Aspergillus ochraceus group 217
  geastroid fungi 712, 713
  Gymnosporangium and Uredo species on Cupressus 905
  Omphaliaster species 870
  species of Endogonaceae 88
  Tricholosporum 868
  Tubifera 544
Khan, S. R., J. W. Kimbrough, and P. G. Webb. Fine structure of septa and haustoria 809
Kimbrough, J. W., and B. L. Thorne. Structure and development of Mattirolella crustosa on Panamanian termites 201
———. See Khan et al. 809
———. See Thorne and Kimbrough 242
Kirk, P. M. Microfungi. New Hyphomycetes from leaf litter 872
Kirk, P. W., Jr. See Schocken et al. 801
Kitz, D. J., R. W. Embree, and J. Cazin, Jr. Morphological and physiological studies of genus Radiomyces 110
Kohlmeyer, J. See Boyd and Kohlmeyer 894
Korf, R. P. Citation of authors' names and typification of taxon names 250
Kropp, B. R., and J. M. Trappe. Ectomycorrhizal fungi 479
Kuhlman, E. G. Varieties of Gibberella fujikuroi with anamorphs in Fusarium section Liseola 759

Lahaie, D. G. In vitro fruiting of Lyophyllum not Laccaria 691
Lakhanpal, T. N., and K. G. Mukerji. Indian Myxomycetes; review 353
Laursen, G. A. See Miller et al. 576
Leaf rust 472
Lectin 695
Lichen, chemistry of 662
Liebenberg, N. V. D. M. See von Arx et al. 285
Light
  effect on apothecia, sclerotia and growth 1000
  effect on germination 474
  effect on hypohopodia 106
  effect on mycelial growth 1010
  effect on zoospore production 823
  inhibition 472
Lignicolous Hyphomycetes 489
Lignin decomposition 511
Lignin solubilization 943
  effect of nitrogen on 943
Lignocellulose 511
  degradation 946
Lime deposits 404
Linoleic acid 376
  effects of 625
Longevity of Aspergillus flavus 423
Luttrell, E. S. See Rykard et al. 648

MacDonald, W. L. See Marshall et al. 376
Malloch, D. See Carter and Malloch 346
Mall, S. See Suresh and Mall 337
Mangrove fungi 1021, 1022
Manji, B. T. See Ogawa et al. 681
Manjula, B. See Natarajan 130
Marine fungi 103, 117, 363, 508, 511, 640, 777, 801, 894
Marine leaf litter 508
Marine Oomycetes 505
Marshall, M. R., D. F. Hindal, and W. L. MacDonald. Perithecium production by Ceratocystis ulmi 376
Marziano, F. See Iannelli et al. 313
Mating
  groups in Gibberella 761
  pairs 695
  studies, in Fusarium 759
  types 24
Matsushima mycological memoirs No. 2; review 357

May, B. See Royse and May 93, 596
McDaniel, L. L., and D. F. Hindal. Spore swelling, germination, and germ tube formation in Piptocephalis 271
McGinnis, M. R. Laboratory handbook of medical mycology; review 352
Media
  basidial state production 919
  culture of Endothia 829
Mesophilic fungi 149, 150
Meyer, S. L. F. Segregation of new lichen genus Foraminella from Parmeliopsis 592
Microbial collections of major importance in agriculture; review 354
Miller, O. K., G. A. Laursen, and D. F. Farr. Agaricales from Arctic tundra 576
Mine spoils, mycorrhizae in 785
Minter, D. W., and M. P. Sharma. Three species of Lophodermium 702
Mixed culture 117
Moore-Landecker, E., and W. Shropshire, Jr. Effects of aeration and light on apothecia, sclerotia, and mycelial growth in Pyronema domesticum 1000
Morel 142
Morphometry 183
Morris, B. B., and J. J. Motta. Isolation of apparent temperature-sensitive cell cycle mutant 412
Morrison, R. H. Drechslera nobleae on Lolium multiflorum 391
Mosquito pathogen 162, 555, 820
Motta, J. J., and D. C. Peabody. Rhizomorph cytology and morphogenesis 671
———. See Morris and Motta 412
Mullins, J. T. See Hill and Mullins 851
———. See Peeler and Mullins 334
Mushroom compost 149
Mushroom terms, polyglot on research and cultivation of edible fungi; review 356
Mutant 303, 412
  DNA content of 416
  effect of temperature on 415
  enrichment of 668
Mycelium interaction 681
Mycophyllon 161
Mycorhizome 161
Mycorrhizae 77, 152, 176, 182, 505, 515, 785, 831, 859, 877, 952, 1026
  associated hyperparasites 1026
  azygospores of, in mites 859
  azygosporic genera 87f
  chlamydosporic genera 87f
  inoculations with 505
  in weed seeds 515
  occurrence of, in Wyoming 882
  of ferns and fern-allies 769
  species occurrence 785
  species of, in mine spoils 787
  spore density and frequency of 883
  spore numbers 787
  unidentified form 880
  zygospore germination in 861
Mycotoxin 1041
Myxomycetes, stalk ultrastructure in species of 858

Nakasone, K. K., and R. L. Gilbertson. Brown-rot fungi in the Corticiaceae 599
Nasta, M. See Deploey et al. 847
Natarajan, K., and B. Manjula. South Indian Agaricales 130
———, and N. Raman. A new species of Ripartites 1037
Near-ultraviolet light 508
Nelson, E. E. Occurrence of Trichoderma 280
Nelson, R. K., and R. W. Scheetz. Elemental composition of Clastoderma debaryanum stalks 1016
———, R. W. Scheetz, and C. J. Alexopoulos. Taxonomic studies in the Myxomycetes. V. 541
Newell, S. Y., and J. W. Fell. Near-ultraviolet light in incubation of marine leaf-litter samples 508
New lichen genus 592
Nielsen, T. A. B. Enrichment of auxotrophic mutants by a sticky technique 668
———, and L. W. Olson. Nuclear control of sexual differentiation in Allomyces macrogynus 303
Nitrate formation by species of Aspergillus 720, 721
Nitrification 718
Nitrogen, effect of, on lignocellulose degradation 946
Nordic Journal of Botany; review 354
Noviello, C. See Iannelli et al. 313
Nuclear behavior, 103, 260, 261, 262f, 559
  ascocarp development 731
  control 303
  cycle in Clitocybe 911, 912
  morphology 414
Nutrition 54, 56, 57
  effect of, on dark pigment 625
  effect of, on synnema 625
  effect on zoospore production 822
  influence on basidiocarp 917
  of salt-marsh fungi 640

Oberwinkler, F., and R. J. Bandoni. Atractogloea: a new genus 634–638
———. See Wells and Oberwinkler 325
Ogawa, J. M., T. E. Esser, and B. T. Manji. Mycelial interaction zones among single ascospore isolates of Monilinia fructicola 681
Oh, J. K., and W. M. Hess. Unidentified organelles and vacuoles in Tilletia teliospores 1032
Olive, L. S. Alma Whiffen Barksdale 359
———, and K. D. Whitney. New species of protostelid 655
———. See Whitney et al. 677
Olson, L. W. See Nielsen and Olson 303
Onyile, A. B., and R. V. Gessner. Hyphopodia of Buergenerula spartinae 103
———, H. H. Edwards, and R. V. Gessner. Adhesive material of hyphopodia 777

Organic substrates, effect on growth of mycorrhiza 955, 956
Oribatid mites, mycorrhizae in 859
Osmotic effects 685
Ower, R. Development of morel ascocarp 142

Panter, C. See Sweeney et al. 162
Parkinson, D. See Zak et al. 785
Pathogenicity of Drechslera nobleae 395
Peabody, D. C. See Motta 671
Pectin methylesterase 460
Pectolyic enzymes 460
Pedicel length 927
Peeler, T. C., and J. T. Mullins. Nitrogen nutrition in ectomycorrhizal fungus 334
Peridial ornamentation 541
Perithecia, pigmentation in 376
Perithecium
  development 320
  production of 376
Peroxidase activity 26–34
Perry, D. F., D. Tyrrell, and A. J. DeLyzer. Mdde of zygospore germination 549
Peterson, R. S. Uredinales on Cupressaceae 903
pH, effect of, on hyphopodia 106
Phosphate regulation 614
Phycobionts 593
Phylogeny 294
Physiological races in Fusarium 313
Pigment production 625
Poinar, G. O., Jr., and G. M. Thomas. Entomophthoralean fungus from amber 332
Polysaccharide localization 348
Polysaccharidase production 297
Ponce de Leon, P. See Smith and Ponce de Leon 712
Porter, D. Appendaged ascospores of Trichomaris invadens 363
Proteins in species differentiation 138, 139, 140f, 141
Protein variability 569
Protostelid 655
Punja, Z. K., R. G. Grogan, and G. C. Adams, Jr. Influence of nutrition, environment, and isolate on basidiocarp formation, development and structure 917

Rabatin, S. C., and L. H. Rhodes. Acaulospora bireticulata inside oribatid mites 859
Rai, B., and R. S. Upadhyay. Gibberella indica: perfect state of Fusarium udum 343
Rai, J. N. See Jaitly and Rai 1021
Ramachar, P., and G. Bhagyanarayana. Taxonomy of rust fungus parasitizing Bridelia species 675
Raman, N. See Natarajan and Raman 1037
Reid, J. See Dowsett et al. 687
Reynolds, D. R., and P. H. Dunn. Foliicolous fungi from Brazil: new genus Veralucia 854
Rhizomorph cytology 671
Rhodes, L. H. See Rabatin and Rhodes 859
Ribonuclease 66
Rogers, R. F. See Hesseltine and Rogers 423
Rosing, W. C. Ultrastructure of ascus and ascospore development 960
Rossi, W. Aphanandromyces, a new genus of Laboulbeniales 520
———. New or interesting Laboulbeniales 1023
Royse, D. J., and B. May. Genetic relatedness and its application in selective breeding 569
———, and ———. Isozyme variation to identify genotypic classes of Agaricus brunnescens 93
Rusts 675, 903, 1020
  inoculations 427
  perfect stage of 427
Rykard, D. M., E. S. Luttrell, and C. W. Bacon. Development of conidial state of Myriogenospora atramentosa 648

Safranin O 145
Salinity
  effect of on growth 117
  effect of on hypopodia 106
Salt, effect on zoospore production 824
Salt-marsh fungi 297, 640
Samuels, G. J. An annotated index to the mycological writings of Franz Petrak; review 538
Sanni, M. O. Perithecial development in Gelasinospora tetrasperma 320
Sato, S. See Kakishima 427
Sautter, C., and B. Hock. Crozier formation in Byssochlamys nivea 256
Saylor, H., P. Vergeer, D. Desjardin, and T. Duffy. California mushrooms, 1970–1980, fungus fair and foray collections; review 537
Scala, F. See Iannelli et al. 313
Scheetz, R. W. See Nelson and Scheetz 1016
———. See Nelson et al. 541
Schenck, N. C., and G. S. Smith. New and unreported species of mycorrhizal fungi (Endogonaceae) from Florida 77
———. See Siqueira et al. 952
Schocken, M. J., M. K. Speedie, and P. W. Kirk, Jr. Interaction of higher marine fungi with atrazine 801
Schoulties, C. L. See Alfieri et al. 513
Schroeder, D. B. See Wick 460
Sclerotia
  initiation influenced by light 1009
  longevity of 504
Sclerotial development 1000
Sclerotium production 398
Seasonal occurrence of marine fungi 894, 899
Selective breeding 569
Selective breeding program 574
Septa 173
Septal pore apparatus 811f
Serology 313, 314, 315, 316
Sexual cycle 695
Sexual differentiation 303
Sexuality of anastomosis group 793
Sharma, M. P. See Minter and Sharma 702
Shipman, J. S. See Hammill and Shipman 933
Shropshire, W., Jr. See Moore-Landecker and Shropshire 1000
Singh, S. J., and W. A. Heather. Temperature-sensitivity of light inhibition of uredospore germination 472

Siqueira, J. O., D. H. Hubbell, and N. C. Schenck. Spore germination and germ tube length of a vesicular-arbuscular mycorrhizal fungus 952
Smith, C. W., and P. Ponce de Leon. Hawaiian geastroid fungi 712
Smith, G. S. See Schenck and Smith 77
Smith, R. A. Nutritional study of Pisolithus tinctorius 54
Species of Dendrostilbella 932, 933
Species on beech bark 838
Speedie, M. K. See Schocken et al. 801
———. See Sutherland et al. 511
Sporangiogenesis 433, 976
Sporangiospore size 111
Sporangium caducity 927
Spore formation 607
Spore germination 24, 29, 30, 34, 952
  in Mucorales 271
  in rusts 269
Spore ornamentation 541
Spores, ultrastructure of 166
Sporocarp development 655
Sporulation 144
  heterokaryons 798
Stahl, P. D., and M. Christensen. Mycorrhizae associated with Bouteloua and Agropyron 877
Staining method 145
Strains of fungi required in military testing 886
States, J. S. See Christensen and States 226
Stempen, H. Behavior of the inner wall layer of the germinating Fuligo septica spore: evidence of peroxidase activity 26
Stipes, R. J., G. H. Emert, and R. D. Brown, Jr. Differentiation of Endothia gyrosa and Endothia parasitica by disc electrophoresis 138
Strong, M. E. See Taber and Strong 152
Suppressor 303
Suresh, K., and S. Mall. Anastomosis groups of Rhizoctonia solani 337
Sutherland, J. B., D. L. Cranford, and M. K. Speedie. Decomposition of maple and spruce lignin by marine fungi 511
Sutton, B. C. See Wang and Sutton 489
Sweeney, A. W., J. N. Couch, and C. Panter. Identity of isolate of Culicinomyces 162
Synaptonemal complex 679
Synnema production 625
Synoptic key 217, 231

Taber, R. A. Gisaspora spores and associated hyperparasites in weed seeds 1026
———. Occurrence of Glomus spores in weed seeds 515
———, and M. E. Strong. Vesicular-arbuscular mycorrhizae in Tradescantia 152
———, and J. M. Trappe. Vesicular-arbuscular mycorrhizae in ginger 156
Taxon names
  priority 252
  sanctioned use 252
  starting-point date 250
  typification 250, 252
Taxonomic status of Fusarium anamorphs 764
Technique
  mutant enrichment 668
  zoospore production 820
Temperature, effect of, on
  growth 642, 643
  hyphopodia 104
  germination 473
  growth of marine fungi 898, 900
  mycelial growth 1010
  seasonal occurrence and geographic distribution of marine fungi 894
  zoospore production 823
Temperature-sensitive mutant 412
Temperature-sensitivity 472
Termites, fungus on 201
Thermophilic fungi 847, 1021
Thermotolerant fungi 1021
Thomas, G. M. See Poinar and Thomas 332
Thorne, B. L., and J. W. Kimbrough. Impact of Mattirolella crustosa on species of Nasutitermes 242
———. See Kimbrough and Thorne 201
Torzilli, A. P. Polysaccharidase production and cell wall degradation 297
Toth, D. See Toth and Toth 182
Toth, R., and D. Toth. Quantifying vesicular-arbuscular mycorrhizae 182
Trappe, J. M. Alternative method for drying fungi and controlling insects in herbaria 1014
———. See Kropp and Trappe 479
———. See Taber and Trappe 156
Trichilo, P. J., and M. Aragaki. Sporangial caducity and pedicel length 927
Tropism 275
Tsuda, M., and A. Ueyama. Pseudocochliobolus verruculosus and conidium morphology variation 563
Tsuneda, A. Scanning electron microscopy of Pseudogymnoascus roseus 844
Tyrrell, D. See Perry et al. 549

Uchida, J. Y. See Yamamoto and Uchida 145
UDPG transferase 851
Ueyama, A. See Tsuda and Ueyama 563
Ultrastructure 27–29, 166, 173, 188, 236, 237f–239f, 256
  asci and ascospores 845, 846f
  ascogenous hyphae 962
  ascomata 844, 845f
  ascospores 363, 960, 972
  ascus 960, 964
  basidiospores 866f
  cellular slime mold spore 610, 612f
  conidia 236, 689f
  conidial state 649, 652f
  conidiophores 689f
  crozier 257, 962
  haustoria 188, 809
  hymenium 920, 922f
  hyphopodia 777
  in Radiomyces 111, 112, 113f
  lime deposits 404
  myxomycete 677
  peridia 542

phialides 689f
polysaccharide localization 348
primary spore initial 976
Protomyces species 288
resting sporangia 559
rust 266, 429, 430f
secondary spore initial 981
septa 173, 809
sorocarps 608, 609f
sorogenic amoeba 608, 610, 611f
spindle pole bodies and microtubules 968
sporangiogenesis 435, 975
sporangium homogeneous stage 979
sporocarp 655, 658, 659f, 660
spore wall 607, 608
Taphrinales 285, 288
teliospores 1032
vesicle 968
Unidentified organelles in teliospores 1034
Upadhyay, R. S. See Rai and Upadhyay 343
Uredospore germination 472

Vacuoles in teliospores 1032, 1033f, 1035f
van der Walt, J. P. See von Arx et al. 285
Van Dyke, C. G. See Welty et al. 265
Variability, conidium morphology 563
Vegetative diploidy 911
Vesicular-arbuscular mycorrhizae 152, 156, 182, 505, 515, 769, 785, 859, 879, 952
chlamydospore germination 832
effect of citrus root exudate 832
in seeds 515
in weed seeds 1026
root exudate effect on spore germination 832
Viability of hybrids 558
von Arx, J. A., J. P. van der Walt, and N. V. D. M. Liebenberg. Classification of Taphrina and other fungi with yeast-like states 285

Walton, D. C. See Griffin and Walton 614
Wang, C. J. K., and B. C. Sutton. Lignicolous Hyphomycetes 489
Water potential 684
Watling, R., and N. M. Gregory. Census catalogue of world members of Bolbitiaceae; review 537
Webb, P. G. See Khan et al. 809
Weidemann, G. J., D. M. Boone, and H. H. Burdsall, Jr. Taxonomy of Phyllosticta vaccinii and a new name for the true anamorph of Botryosphaeria vaccinii 59
Wells, K., and F. Oberwinkler. Tremelloscypha gelatinosa 325
Welty, R. E., C. G. Van Dyke, and W. E. Cope. Uromyces trifolii-repentis variety trifolii-repentis 265
Whitaker, D. See Erdos and Whitaker 695
White, J. P., and G. T. Johnson, Aflatoxin production correlated with nitrification 718
Whitney, K. D., and H. W. Keller. New species of Badhamia with notes on Physarum bogoriense 619
———. See Olive and Whitney 655
———, W. E. Bennett, and L. S. Olive. Observations of Echinostelium bisporum 677
Wicklow, D. T., B. W. Horn, and R. J. Cole. Sclerotium production by Aspergillus flavus 398
Wick, R. L., and D. B. Schroeder. In vitro production of pectolytic and cellulolytic enzymes 460
Wiley, B. R., R. L. Hebert, J. Armstrong, and A. M. Kaplan. Aerobiology of environmental test chamber 886
Wind tunnel 275, 276
Wolfe, C. B., Jr. Taxonomic evaluation of the generic status of Ixechinus and Mucilopilus (Ixechineae, Boletaceae) 36

X-ray spectra 407f–409f
slimemold stalks 1018

Yamamoto, D. T., and J. Y. Uchida. Nuclear staining of Rhizoctonia solani and related fungi 145
Yeasts 66, 1032
Yei, S.-p. See Amon and Yei 117
Young, D. J., R. L. Gilbertson, and S. M. Alcorn. New Longevity record of sclerotia 504
Young, T. W. K. See Brain et al. 173

Zak, J. C., R. M. Danielson, and D. Parkinson. Mycorrhizal fungal spore numbers and species occurrence in mine spoils 785
Zoospore production 820
Zygospore formation, effect of water potential on 684

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia 425
corymbifera 1022
Acaulospora 86, 87f, 90
bireticulata 77, 859, 860f, 861; scrobiculata 77; species list of 88; spinosa 77, 859
Achlya 852, 853
ambisexualis 851–853, 995; bisexualis 360; debaryana 433–455, 437f–439f, 441f, 442f, 443f, 976–979, 981
Acremonium

balanoides 687, 690; butyri 150; sp. 150, 508, 509
Acrodictys **atroapicula** 491f, **492**
Acrophialophora fusispora 1022
Acrostalagmus bactrosporus 687
Aecidium
elaeagni 432; purpusiorum 907
Agaricales 130, 576
Agaricostilbum 637
hyphaenes 638; palmicolum 638
Agaricus 94, 151
bisporus 569; bitorquis 94; brunnescens 93–101, 149, 151, 569–574; campestris 23, 94
Albugo candida 198
Allomyces 303, 668
anomalus 670; arbuscula 303; macrogynus 303–311, 668–670
Alternaria
alternata 127, 128; bassicicola 127, 128; solani 128; spp. 127
Alwisia bombarda 542
Amanita inaurata 576
Amaurochaete 342
comata 341
Anixiella
endodonta 324; reticulata 150, 151
Antennopsis 242
Antennularia rhododendri 753, 757
Anthurus
archeri 501; aseroeformis 501
Aphanandromyces 520
audisioi 521f, **522**
Aphanomyces euteiches 433, 994
Apiosporium
rhododendri 756, 757; salicis 757
Apophysomyces elegans 144
Arcyodes incarnata 544
Arcyria
cinerea 405, 410; denudata 405, 410
Armillaria
mellea 671, 672f, 673, 674, 911; tabescens 671–674, 672f
Articulophora 489
variispora 489, 491f
Ascodichaena mgosa 837
Ascomycetes 103, 529
Aspergillus
aeneus 232; alliaceus 217, 218; alliaceus var. macrosterigmatus 215, 219; alutaceus 221; aurantiobrunneus 232; aureolatus 232; auricomus 217, 219; bicolor 232, 233; **bridgeri 210**, 211f, 212; **campestris 212**, 213f, 214, 215, 216, 217; candidus 216; carbonarius 1022; carneus 1022; clavatus 125; cleistominutus 233; coremiiformis 216, 217, 219; corrugatus 231, 232, 233; cremeus 216; crustosus 232; dimorphicus 215, 217, 219; eburneocremeus 232; egyptiacus 232, 233; elegans 212, 215, 217, 219; flavipes 216, 223; flavus 125, 150, 398–402, 400f, 423–426, 718–722, 1022; flavus group 718–722; foeniculicola 231, 232, 234; foveolatus 231, 232, 234; fresenii 216, 217, 220, 222; fruticulosus 231, 232; fumigatus 125, 1022; glaucus 426; heterothallicus 232; insulicola 215, 217, 220; kassunensis 232, 233; lanosus 212, 215, 217, 220; melleus 212, 215, 217, 220; mellinus 231, 233; multicolor 232; **navahoensis 226**, 227f, 228, 229f, 230f, 231–234; nidulans group 226–34; nidulans var. acristatus 232; nidulans var. dentatus 232; nidulans var. echinulatus 232; nidulans var. latus 232; nidulans var. nidulans 232; niger 216, 1022; niveus 1022; ochraceoroseus 215, 216, 217, 220; ochraceus 215, 217, 221; ochraceus group 210–222; ornatus 216; ostianus 217, 221; parisiticus 718, 720–722; parvathecius 232; petrakii 217, 221; phoenicis 216; purpureus 233; quadrilineatus 232; recurvatus 230, 232; repens 125; robustus 215, 217, 222; rugulosus 232; sachari 222; sclerotiorum 212, 217, 222; spectabilis 232, 233; spp. 125; striatus 232; subsessilis 232; sulfureus 215, 216, 217, 222; sulfureus var. crassa 215, 223; terreus 150, 1022; terreus var. africanus 1022; unguis 232; variecolor var. astellatus 232; variecolor var. variecolor 232; violaceus 232; wentii 216
Asteromyces cruciatus 511, 512, 895, 897
Athelia rolfsii 917–925, 922f, 924f
Atractiella 637
Atractiellales 634
Atractogloea 634–638
stillata 635f, **636**, 636f, 637, 638
Aureobasidium 285
pullulans 298, 738–742

Badhamia 620
crassipella 620, 621f, 622, 623
Balansia claviceps 653
Basidiomycetes 529, 943
Blastomyces dermatitidis 127
Boletaceae 36
Boletus
edulis 1015; piperatus 1015; viridis 41
Botryosphaeria vaccinii 59, 63
Botryotrichum piluliferum 150
Brevilegnia
bispora 452; diclina 452; minutandra 433–455, 445f–447f, 449f–451f, 453f, 454f, 976, 978, 979, 977f, 978f, 980f–982f, 983, 985f, 986f; subclavata 452
Bubakia
brideliae 675; cingens 675
Buergenerula spartinae 297, 298, 300, 301, 644, 777–783, 779f, 781f
Byssochlamys nivea 256–264

Calloriopsideae 348
Calloriopsis 348
Calonectria ilicicola 513, 514
Camarosporium roumeguerii 640–646
Capnocheirides 752
rhododendri **753**–757, 754f, 755f
Carbosphaerella leptosphaerioides 372
Carpobolus 44
Cavostelium 677
apophysatum 678f, 679, 680; bisporum 680
Cephalosporium balanoides 687–690
Ceratobasidium 145
Ceratocystis
adiposa 125, 126; capillifera 380; ips 380; minor 380; ulmi 376–380, 625–632, 1032

Cercospora rosicola 614
Ceriosporopsis halima 374, 511, 512, 802, 805, 806
Chaetoderma 599
Chaetomium
brasiliense 960–972, 961f–967f, 968f–971f; thermophile var. coprophile 1022; thermophile var. dissitum 1022
Chalara 125, 126
Choanephora cucurbitarum 271
Chromelosporium fulvum 150
Chytridiomycetes 555
Cladoderris 325
Cladonia
anitae **663**–666, 664f; cristatella 665, 666; incrassata 665
Cladosporium 386
caryigenum 384f–386f, **388**, 389; caryigenum var. caryigenum 389; effusum 383
Clasterosporium carpophilum 107
Clastoderma debaryanum 1016–1019, 1017f
Clathraceae 166, 501
Clathrus
archeri 166, 501–504, 502f; ruber 166
Claviceps purpurea 653
Clavicipitaceae 648
Clitocybe 865, 870
antipoda 866f, 870; muritai 866f, 870; tabescens 911–915, 913f
Cochliobolus 563
sativus 127, 128
Coelomomyces 555
dodgei 555–561, 559f; psorophorae 555; punctatus 556–561, 559f
Coelomycetes 59
Colletotrichum
gloeosporioides 147, 777; graminicola 777, 782; lagenarium 107, 782; trifolii 106
Collybia atroviolacea 865
Comatricha typhoides 405
Complexipes 86, 87f, 88
moniliformis 78, 89
Conidiobolus
coronata 332; obscurus 549, 553; thromboides 549, 554
Coniochaeta lignaria 125, 127
Coprinus
angulatus 585; congregatus 275; cordisporus 578f, 581f, 585; martinii 578f, 584f, 586, 587; niveus 586; patouillardi 586
Coriolus versicolor 513
Corollospora
comata 372; maritima 511, 512
Corticiaceae 599
Corynella glabovirens 933
Costantinella cristata 142
Craterium
leucocephalum 405, 406; paraguayense 405, 406, 410
Cribraria violacea 405
Crinigera maritima 372
Cronartium quercuum f. sp. fusiforme 809–818, 811f, 812f, 814f, 815f, 817f
Crustoderma 599, 605
dryinum 605; **flavescens 601**, 602f, 603; **opuntiae 603**, 604f, 605; resinosum 599, 600f, 601, 603
Cryptococcus 66, 69, 70f, 73f, 74
fagisuga 837; laurentii 66, 68, 70f, 71f, 72, 74, 75; neoformans 289, 1032
Culicinomyces clavosporus 162–165
Curvoconidia 592
Curvularia verruculosa 563–567, 566f
Cystolepiota 136

Dacrymyces 637
Dacryobolus 599
Daldinia vernicosa 553
Dendrostilbella
ailanthi 933; baeomycioides 933; bonarii 933; boydii 933; byssina 933; chlorina 933; fimetoria 933; glabrovirens 933; gonolobi 933; haloxyli 933; hanlinii 935f, 940f, **941**; hyalina 933; macrospora 933; moravica 933; prasinula 932; tomentosa 933; ulmi 933; ulmicola 933; viridipes 933
Dendryphiella salina 508, 509, 511, 512, 802, 805, 806
Dendryphion cephalicum 752, 753, 755f, 757
Deuteromycetes 530
Dicellomyces 637
Dictydiaethallium 541
Dictydium cancellatum 405
Dictyuchus
anomalus 433–455, 441f, 450f, 976, 979, 981, 983, 984, 987f–993f; carpophorus 976, 983; pseudodictyon 433–455, 441f, 443f, 449f, 976, 983, 994f
Didymium 339, 341
nullifilum **341**; orthonemata 341; ovoideum 405, 406; saturnus 341; synsporon 341
Dimargaris 173
cristalligena 174, 176; verticillata 174, 176
Dimargaritaceae 173
Dimeromyces lavagnei 1025
Diplococcium asperum 498
Diplodia oraemaris 511, 512
Discomycete 1000
Dispira 173
cornuta 174, 176
Doratomyces microsporus 150
Dothideales 59
Dothioraceae 59
Drechslera 127, 128, 391
avenacea 392; catenaria 392; dictyoides 392; erythrospila 392; nobleae 391–396, 393f, 394f; phlei 392; siccans 392

Echinostelium
bisporum 677–**680**, 678f; lunatum 677; 678f; minutum 677
Efibulobasidium 329, 330
rolleyi 330
Eichleriella 325
gelatinosa 325
Elaeomyxa 858
cerifera 858; miyazakiensis 858
Elaeomyxaceae 857, 858
Emericella

cleistominuta 232; desertorum 232, 233; **navahoensis 226**, 229; nidulans var. lata 1022; purpurea 232; sublata 232
Endogonaceae 877, 952
incrassata 861, 862f, 863; pisiformis 863; sphagnophila 863
Endomycopsis
monospora 180; platypodis 180
Endophragmiella **africana 872**, 873f
Endothia
gyrosa 138–141; parasitica 138–141, 826, 828f, 829, 830
Enteridiaceae 339, 340
Enteridium 339
Entomophthora 332
Entrophospora 86, 87f
infrequens 89, 788, 877, 879, 884
Eocronartium muscicola 637
Ephelis 650, 653
Epicoccum purpurascens 150, 151
Eupenicillium ochrosalmoneum 401
Eutypella parasitica 836
Exidiopsis 325
Exobasidium 188, 198, 199, 285, 288, 293
camelliae 188–199; japonicum 289; vaccinii 198, 289

Filobasidiella neoformans 289
Fistulinella 36, 37
major 37; mexicana 37, 38f, 39; minor 39; staudtii 37, 41
Fonticula 607
alba 607–613, 609f, 611f, 612f
Foraminella **596**, 598
ambigua **597**; hyperopta **597**; subambigua **598**
Fuligo septica 26, 27, 28f, 29, 30f, 31f–33f, 34
Fusarium 423, 425
moniliforme 313–318; moniliforme var. intermedia 766; moniliforme var. moniliforme 765; moniliforme var. subglutinans 759, 766; oxysporum 313–318, 1032; oxysporum f. sp. lycopersici 460; sacchari 766; sacchari var. subglutignans 766; section Liseola 759–767; tricinctum 460–466; udum 343, 344f; verticillioides 765; xylarioides 313–318
Fusicladium 382, 386
caryigenum 382, 383; effusum 382, 383

Gaeumannomyces 103
Gasteromycetes 501
Geastrum
floriforme 713; indicum 713, 714, 715; javanicum 713, 714, 715f; minimum 713, 714; pectinatum 713, 714, 716; quadrifidum 712, 713, 715; recolligens 713, 715; saccatum 713, 715; triplex 714; xerophilum 713, 716
Gelasinospora 320
calospora 324, 733, 737; calospora var. autosteira 733; longispora 323, 324; reticulospora 724–736, 725f, 728f, 730f, 732f, 734f; tetrasperma 320, 321f, 322f, 323, 324
Geotrichum candidum 150
Gibberella
fujikuroi 759–765, 767; fujikuroi var. fujikuroi 765; fujikuroi var. intermedia 766; fujikuroi var. **moniliformis 765**; fujikuroi var. subglutinans 759, 766; indica 343–346, 344f, 345f; moniliformis 765
Gigaspora 86, 87f, 89
albida 82f, **85**, 86; aurigloba 86; calospora 86; coralloidea 86; gigantea 86; gilmorei 86; margarita 953; species list of 88
Gilbertella persicaria 984
Gliocladium roseum 150
Gliomastix 123
felina 123, 124; murorum 123; sp. 150
Glomus 80, 84, 86, 87, 88, 90, 156, 157f,158f, 160, 161, 515, 516f–519f
aggregatum 79f, **80**, 81, 787, 788, 789; albidum 85; **claroideum** 81, 82f, **84**, 85, 86; clarum 81, 85; convolutum 84; epigaeum 831–835, 834f; etunicatum 86; fasciculatum 81, 787; fasciculatus 505, 506f, 507, 515, 877, 879; fecundisporum 79f, 81, 83, 86; **intraradices 78**, 79f, 80; lacteum 83, 85; **leptotichum** 81, **82**, 82f, 83; macrocarpus 86, 505, 506f, 507, 879; macrocarpus var. geosporus 791; microcarpus 880; mossae 84, 505, 506f, 507, 787, 788, 789, 790, 791, 880, 884; pallidum 81, 85; species list of 88; tenuis 788; **tortuosum** 82f, **83**, 84
Guedea 491
novae-zelandiae 497f, 498
Gymnoderma melacarpum 663
Gymnopus atroviolaceus 865
Gymnosporangium
clavipes 905, **907**; cunninghamianum 905; cupressi 905; cupressi var. cascadense 905; guatemalianum 905

Halosarpheia 372, 374
Halosphaeria
appendiculata 374; mediosetigera 511, 512
Halosphaeriaceae 363
Heleococcum japonense 511, 512
Helicobasidium purpureum 637
Helminthosporium sativum 127
Hemimycena
aurantiaca 131f, **132**; setulosipes 132
Hemitrichia
clavata 544; stipitata 405, 544
Herpobasidium filicinum 637
Hirneolina gelatinosa 325
Hoehnelomycetaceae 634
Humicola
alopallonella 511, 512; grisea var. thermoidea 847, 1022; insulans 1022; lanuginosa 847
Hygrocybe vitellina 580
Hygrophorus
citrinopallidus 577, 578f, 580, 581f; glutinipes 580; miniatus 577, 584f
Hygrotrama 130
dennisianum 130; leucopus 130; **pedicellata 130**, 131f
Hyphoderma resinosum 599
Hypholoma
elongatum 588; myosotis 579f, 584f, 589; polytrichi 588; udum 584f, 588
Hyphomycetes 489, 872

Hypomyces rosellus 150
Hypoxylaceae 467
Hypoxylon
pruinatum 836; serpens 729, 736

Inocyclus 286
Isoachlya anisospora 452
Ixechineae 36
Ixechinus 36, 37, 39, 41, 42
majus 37, 38f, 39, 41; minus 37, 39, 40f, 41; **viridis 42**

Kabatiella 285, 293
lini 288; microsticta 288

Laboulbenia
casnoniae 1025; hageni 242; manubriolata 1023, 1024; **monandra 1023**, 1024
Laboulbeniales 515
Laccaria 691, 692
ohiensis 583; striatula 583; tetraspora 578f, 583; tortilis 578f, 582, 583, 585
Lagenidium giganteum 820
Leotiaceae 346
Lepiota 136
epicharis var. epicharis 137; epicharis var. **indica** 134f, **136**, 137; epicharis var. occidentalis 137; **subrufa** 134f, **136**
Lepista
antipoda 870; muritai 870
Leptolegnia sp. 452
Leptosphaeria oraemaris 802, 805, 806
Leucocoprinus 135
fuscatus 135; tropicus 132, 133f
Lichen ambigua 597
Lindbladia 541
Lindra thalassiae 508, 509
Lisea fujikuroi 765
Lobatopedis **elegans** 874f, **875**
Lophodermium 702
camelliicola 708f, 709–711; kumaunicum 702–705, 704f; **litseae 705**–709, 706f; nitens 703
Lulworthia sp. 802, 806
Lyophyllum 691
anthracophilum 692; leucopaxilloides 692; sp. 691, 692; suburens 692
Lysurus
cruciatus 166; mokusin 166; periphragmoides 166

Macrophomina
phaseoli 128; phaseolina 504, 505
Malbranchea sulphurea 1022
Mattirolella 201, 202, 206, 208, 242, 248
crustosa 201–208; sylvestri 242, 248
Melampsora
cingens 675; larici-populina 476, 477; lini 818; medusae 472–477
Metarrhizum anisopliae 123, 124, 127
Metatrichia vesparium 404, 405, 410, 1018, 1019
Micropsalliota 136
cystidiosa 133f, **135**; plumaria 135; purpurea 135
Micropyxis 346, 347
gleoglossi 347; **tryblidariae 346**–348, 347f
Microstroma 285, 288, 293
juglandis 288, 289, 293
Mixia 286, 293
Monilinia fructicola 681–683, 1001
Monodictys pelagica 511, 512, 513, 802, 804, 805
Morchella
deliciosa 143; esculenta 142–144
Mortierella 283
wolfii 1022
Mucilopilus 36, 37, 39
mexicanus 39
Mucor 425
hiemalis 744–750; miehei 847, 1022; pusillus 847, 1022
Mutinus
caninus 166, 167f; elegans 166
Mycelia Sterila 1022
Mycena
atroalboides 582; brunneidisca 582; citrinovirens 582; epipterygia var. badiceps 582; epipterygia var. brunneola 578f, 580, 581f, 582
Mycogloea 637
Mycosphaerella
citri 107; ligulicola 1011; rosicola 614–618
Myriogenospora atramentosa 648–654, 651f, 652f
Myriostoma coliforme 712, 713, 716
Myxomycetes 339, 404, 528, 541, 619, 677, 1016
Myxozyma melibiosi 289

Narcoticus 587
Nectria coccinea var. faginata 837, 842
Nematoloma
myosotis 589; udum 588
Neozygites fresenii, 549, 553
Neurospora
crassa 274; dodgei 323; intermedia 94; sitophila 733; terricola 323
Nia vibrissa 511, 512

Oedocephalum
lineatum 240; sp. 150
Omphaliaster 865, 868
ianthinocystis 866f, 868, 869, 870

Paecilomyces varioti 150, 151, 1022
Panaeolus
acuminatus 587; subbalteatus 579f, 584f, 587
Papulaspora
byssina 150, 151; halima 511, 512; sp. 150, 151; thermophila 847
Parmelia 592
Parmeliopsis 592–598
aleurites 593, 594f, 596; ambigua 593, 594f, 596, 597f; hyperopta 593, 595f, 596, 597f, 597; placorodia 593, 594f, 595, 596, 597f; section curvoconidia 596; section viridifera 596; subambigua 593, 595f, 596, 598
Pellicularia filamentosa 460
Penicillium 281, 423, 425
claviforme 123, 124, 126; notatum 125, 126; oxalicum 150; restrictum 215; resinosa 599
Perichaena vermicularis 544
Periconia prolifica 802, 805, 806
Peronospora pisi 198

Phaeosphaeria typharum 298, 299, 300, 301
Phaeostalagmus
altissimus 492f, **495**; **arbusculus** 493f, **496**
Phakospora
brideliae 675; cingens 675
Phallaceae 166
Phallales 166
Phallus
impudicus 166, 502; ravenelii 166
Phanerochaete chrysosporium 944
Phellinus weirii 283
Phialophora 103
cinerescens 125, 127
Phleogena faginea 637, 638
Phlyctochytrium sp. 117–121
Phragmidium mucronatum 1020
Phycomyces 278
blakesleeanus 278, 744, 750
Phyllachora parilis 106
Phyllosticta
capitalensis 148; **elongata** 60f, 61, **62**, 63f, 64; putrefaciens 65; pyriformis 147; sparsa 61; vaccinii 59, 60f, 61, 62f, 64
Physarum
bilgramii 405, 410; bivalve 623, 624; bogoriense 619–624, 621f; galbeum 405, 406, 410; globuliferum 405; gyrosum 624; melleum 405, 410; pallidum 622, 623; polycephalum 405, 406, 410; pulcherripes 405, 406, 410; roseum 405, 406, 410; tenerum 404, 406, 410
Physoderma dulichii 553
Physopella cingens 675, 676f
Phytophthora
capsici 147; epistomium 508, 509; infestans 984; nicotianae var. parisitica 927–930, 929f; palmivora 147, 928, 930; parasitica 452, 995
Pichia spartinae 297
Pilacrella delectans 638
Piptocephalis 271, 274
digitata 271, 272, 273; lepidula 271, 272, 273, 274; unispora 271; virginiana 271, 272, 273; xenophila 271, 272, 273
Pisolithus tinctorius 54, 55, 56, 57, 334–336
Platygloea 637
Pleospora
gaudefroyi 640–646; pelagica 298, 299, 300, 301; vagans var. vagans 298, 299, 300, 301
Pleuotus ostreatus 944
Podosordaria 469, 470
leporina 469
Poronia 469, 470
doumentii 470; ehrenbergii 470; pileiformis 470
Protomyces
inouyei 288, 289; lactucae-debilis 288
Prototaphrina 286
Protoventuria rhododendri 757
Pseudocochliobolus **verruculosus** 563–567, 564f, **565**
Pseudocolus fusiformis 166
Pseudogymnoascus
roseus 844–846, 845f, 846f; vinaceus 844, 846
Pseudomerulius 599
Psilocybe
cubensis 275–278; montana 579f, 589, 590
Puccinia
caricis-shepherdiae 429, 430, 431; coronata 427; coronata f. sp. avenae 476; graminis f. sp. avenae 476; graminis f. sp. tritici 818; helianthi 106, 107; oxalidis 148; striiformis 476; **velutina** 427–**432**, 428f, 430f
Pulveroboletus viridus 37, 40f, 41
Pyronema 263
confluens 256, 1000; domesticum 256, 735, 1000–1011, 1005f, 1006f; omphalodes 1000, 1001, 1011
Pythium grandisporangium 508, 509

Radiomyces 110
embreei 110, 113f; spectabilis 110, 113f
Rectoconidia 592
Reticularia 339
Rhachomyces **sciakyi** 1024f, **1025**
Rhagadolobium 287
Rhinocladium dingleyae 499, 499f
Rhizoctonia solani 145–148, 337, 338, 793
Rhizopus stolonifer 744, 750
Rhodocybe
antipoda 870; muritai 870
Rhodotorula 638
fujisanensis 289; glutinis 287, 289; javanica 289
Rhytismataceae 707
Ripartites
flabellatus 1037–1040, 1038f, 1039f; metrodii 1037, 1038f, 1039f, 1040

Saccharomyces cerevisae 289, 1032
Saccobolus kerverni 256
Saksenaea vasiformis 144, 145
Saprolegnia 852, 853
diclina 995; ferax 433, 452, 455, 456, 975, 995, 996; furcata 955; terrestris 995
Schizophyllum commune 412–421, 1041
Schizoplasmodiopsis
amoeboidea 655–660, 656f, 658f, 659f; pseudoendospora 655, 660
Schroeteriaster cingens 675
Sclerocystis 87f, 90
sinuosa 84; species list of 89
Sclerotina
sclerotiorum 1001; trifoliorum 1001, 1011
Sclerotium rolfsii 147, 917–925, 922f, 924f
Scopulariopsis fimicola 150
Sebacina
dimitica 329; epigaea 329; helvelloides 329; incrustans 328f, 329
Sebacinaceae 325, 328f, **329**
Sigmoidea marina 895, 897
Sistotrema brinkmanni 793
Sordaria fimicola 323, 324
Spadicoides
aspera 498; **catenulata** 494f, **497**; **constricta** 495f, **498**
Spathulospora lanata 107
Sphaerobolus 44, 52, 53
stellatus 44, 45, 46f–51f, 53, 54, 349, 350, 349f
Sphaerostilbe ochracea 240
Spilocae pomi 382
Spinalia 173
Sporobolomyces roseus 638

Sporotrichites heterospermus 332
Sporotrichum sp. 1022
Squamuloderma 339, 342
  nullifila 339, 341f
Steccherinum 24
  adustum 24; ciliolatum 24; fimbriatum 24; laeticolor 24; ochraceum 24; oreophilum 20, 21f–23f, 24, 25
Stereum 325
Stypella 637
Syzygites megalocarpus 684–686

Taphrina 285, 288
  californica 288, 289; carnea 288, 289; deformans 288, 289
Termitaria 201, 202, 208
  snyderi 242
Termitariales 242
Thanatephorus cucumeris 145, 793–799, 795f
Thermomyces lanuginosus 1022
Thielavia
  sepedonium 150, 151, 1022; thermophila 1022
Thielaviopsis basicola 123, 124, 126
Thraustochytrium 120
  striatum 117–120
Thraustotheca clavata 452, 984, 995
Tieghemiomyces 173
  californicus 173–180
Tilletia spp. 1032
Torula
  fumago 756; rhododendri 752, 753, 757
Torulomyces
  indicus 123, 124, 126; lagena 123, 124, 126
Tremella 71f, 72f, 74, 637
  foliacea 66, 67, 69, 71, 74, 75; mesenterica 638
Tremellodendron 329
  candidum 328f, 329, 330; cladonia 330; pallidum 330
Tremelloscypha 325, 329, 330
  australiensis 326, 328f; **gelatinosa 325**–330, 327f, 328f
Trichocladium achrasporum 802, 805
Trichoderma 280, 281, 282, 283, 425
  hamatum 281; polysporum 283; saturnisporum 240; viride 150, 281
Tricholoma
  goniospermum 868; porphyrophyllum 868; pseudosordidum 868
Tricholomataceae 865
Tricholosporum 865
  atroviolaceum 865, 866f; **goniospermum 868**; **porphyrophyllum 868**; **pseudosordidum 868**
Trichomaris invadens 363–374, 365f, 366f, 369f, 370f, 371f, 373f
Trichometasphaeria turcica 127, 128
Trichothecium roseum 150
Trichurus spiralis 150
Tubakia dryina 125, 126
Tubifera 541
  bombarda 541, 542, 546, 546f; casparyi 541, 542, 543f, 544, 545f, 546f, 547; cribarioides 541, 544, 545f, 548; ferruginosa 541, 542, 543f, 544, 545f, 546f, 547; microsperma 541, 542, 543f, 544, 545f, 546f, 547; papillata 541, 542, 543f, 544, 545f, 548

Uredinales 903
Uredo
  brideliae 675; cupressicola 905, 908
Uromyces
  nerviphilus 265; phaseoli var. typica 476; trifolii 265; trifolii-repentis var. trifolii-repentis 265–270
Ustilago 285
  maydis 147, 148, 638; sphaerogena 75

Varicosporina ramulosa 896, 897
Venturia
  inaequalis 382, 1011; pirinii 382
Veralucia 855
  brasiliensis 855f, **856**, 856f, 857
Verticillium
  albo-atrum 402; **balanoides** 688f, 689f, **690**; dahliae 402

Xylaria
  johorensis 470; microceras 524, 525; **musoorensis 523**–525, 524f; myosurus 524, 525; pedunculata 469; **psamathos 467**–470, 468f, 469f; tulasnei 469
Xylosphaera 470

Zalerion maritimum 511, 512, 802, 804, 806
Zoophthora
  canadensis 549, 554; radicans 549–554, 551f, 552f
Zygomycetes 528

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Adiantum
  Vesicular-arbuscular mycorrhizae 771
Aedes
  Culicinosporum clavosporus 162
Agropyron
  Mycorrhizae on 877
Alchornea
  Physopella hansfordii 675

Amaranthus
Glomus fasciculatus 515
Andropogon
Myriogenospora atramentosa 648
Anopheles
Coelomomyces punctatus 556
Culicinomyces clavosporus 162
Apium
Glomus intraradices 78
Arachis
Glomus intraradices 80
Athyrium
Vesicular-arbuscular mycorrhizae 771
Avena
Glomus intraradices 80
Azalea
Exobasidium japonicum 288

Ballia
Spathulospora lanata 107
Beta
Macrophomina phaseolina 504
Betula
Taphrina carnea 288
Botrychium
Vesicular-arbuscular mycorrhizae 771
Bouteloua
Mycorrhizae on 877
Bridelia
Physopella cingens 675
Uredo malabarica 675

Cajanus
Gibberella indica 343
Camellia
Exobasidium camelliae 188
Lophodermium camelliicola 710
Carex
Puccinia sp. 427
Carica
Glomus intraradices 78
Phytophthora palmivora 928
Rhizoctonia isolates 146
Carya
Cladosporium effusum 382, 383
Fusicladium effusum 283, 383
Centrosema
Acaulospora bireticulata 77
Chionoecetes
Trichomaris invadens 363
Chloris
Curvularia verruculosa 563
Choristoneura
Zoophthora radicans 549
Cissus
Calonectria ilicicola 513
Citrus
Glomus intraradices 80
Citrus × Poncirus
Glomus aggregatum 80
Cokeromyces
Tieghemiomyces californicus 173
Convallaria
Kabatiella microsticta 288

Culex
Culicinomyces clavosporus 162
Culiseta
Coelomomyces psorophorae 556
Cupressaceae
Rusts on 903
Cupressus
Gymnosporangium species on 905
Uredo cupressicola 909
Cynodon
Gigaspora albida 86
Cystopteris
Vesicular-arbuscular mycorrhizae 771
Caucus
Glomus intraradices 80

Dendroctonus
Myxozyma melibiosi 289
Dryopteris
Taphrina californica 288
Vesicular-arbuscular mycorrhizae 771

Elaeagnus
Aecidium elaeagni 427
Equisetum
Vesicular-arbuscular mycorrhizae 771
Eragrostis
Myriogenospora atramentosa 648

Fagus
Fungal flora on 836
Fragaria
Glomus intraradices 80

Glyceria
Tilletia spp. 1032
Glycine
Acaulospora scrobiculata 77
Glomus claroideum 85
Gymnocarpium
Vesicular-arbuscular mycorrhizae 771

Hordeum
Glomus intraradices 80

Juglans
Microstroma juglandis 288
Juniperus
Gymnosporangium juniperi-virginianae 198

Lambdina
Zoophthora radicans 549
Linum
Kabatiella lini 288
Liquidambar
Glomus leptotichum 83
Litsea
Lophodermium litseae 707
Lolium
Drechslera nobleae 391
Lycopersicon
Glomus intraradices 78
Macrophomina phaseolina 504

Macroptilum
Entrophospora infrequens 78
Macrotermes
Laboulbenia hageni 242
Matteuccia
Vesicular-arbuscular mycorrhizae 771
Melines
Glomus fecundisporum 81
Mollugo
Glomus fasciculatus 515

Nasutitermes
Mattirolella crustosa 202, 242
Nilaparvata
Zoophthora radicans 549

Onoclea
Vesicular-arbuscular mycorrhizae 771
Opifex
Coelomomyces opifexi 556
Oryza
Curvularia verruculosa 563
Osmunda
Vesicular-arbuscular mycorrhizae 771

Panicum
Curvularia verruculosa 563
Myriogenospora atramentosa 648
Paspalum
Acaulospora scrobiculata 77
Gigaspora margarita 953
Glomus clairoideum 85
Myriogenospora atramentosa 648, 649
Pellaea
Vesicular-arbuscular mycorrhizae 771
Pennisetum
Glomus leptotichum 83
Perigona
Laboulbenia manubriolata 1023
Phaseolus
Glomus intraradices 80
Phegopteris
Vesicular-arbuscular mycorrhizae 771
Pinus
Complexipes moniliformis 78
Lophodermium kumaunicum 705
Pisolithus tinctorius 334
Plantago
Mycorrhizae on 505
Polystichum
Vesicular-arbuscular mycorrhizae 771
Populus
Melampsora medusae 472
Portulaca
Glomus fasciculatus 515
Prunus
Taphrina deformans 288
Pseudomesolestes
Laboulbenia monandra 1023
Rhachomyces sciakyi 1025
Pteridium
Vesicular-arbuscular mycorrhizae 771

Quercus
Cronartium quercuum f. sp. fusiforme 809

Rhinotermes
Mattirolella sylvestrii 201
Rhododendron
Capnocheirides rhododendri 753

Salicornia
Camarosporium roumeguerii 641
Pleospora gaudefroyi 641
Solanum
Glomus intraradices 80
Macrophomina phaseolina 504
Phytophthora nicotianae var. parasitica 927
Rhizoctonia solani 337
Sorghum
Glomus epigaeum 831
Schizophyllum commune 1041
Spartina
Buergenerula spartinae 103, 297, 778
Xylaria psamathos 467
Stellaria
Glomus fasciculatus 515
Stenotaphrum
Acaulospora spinosa 77
Stylosanthes
Glomus intraradices 80

Thelypteris
Vesicular-arbuscular mycorrhizae 771
Tradescantia
Vesicular-arbuscular mycorrhizae 152
Trianthema
Glomus fasciculatus 515
Trifolium
Uromyces trifolii-repentis var. trifolii-repentis 265
Triticum
Glomus intraradices 80
Tryblidaria
Micropyxis tryblidariae 346
Tsuga
Ectomycorrhizae 479
Fusarium tricinctum 460

Vaccinium
Exobasidium vaccinii 289
Phyllosticta elongata 59, 62, 64
Phyllosticta vaccinii 61, 62
Vanda
Phytophthora nicotianae var. parasitica 927
Vitis
Aureobasidium pullulans 289

Zea
Aspergillus flavus 298, 423
Zingiber
Vesicular-arbuscular mycorrhizae 156
Zostera
Varicosporina ramulosa 895

Mycologia

OFFICIAL PUBLICATION OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME 74, 1982

CONSISTING OF 1060 PAGES,
INCLUDING FIGURES

TABLE OF CONTENTS
No. 1 January–February 1982

Developmental studies on the MSA
1 **M. L. Farr**

Steccherinum oreophilum: cultural characters and occurrence in North America
20 **J. Ginns**

Behavior of the inner wall layer of the germinating *Fuligo septica* spore: evidence of peroxidase activity
26 **H. Stempen and R. C. Evans**

A taxonomic evaluation of the generic status of *Ixechinus* and *Mucilopilus* (Ixechineae, Boletaceae)
36 **C. B. Wolfe, Jr.**

A cytological examination of *Sphaerobolus stellatus* fruiting bodies
44 **M. J. Dykstra**

Nutritional study of *Pisolithus tinctorius*
54 **R. A. Smith**

Taxonomy of *Phyllosticta vaccinii* (Coelomycetes) and a new name for the true anamorph of *Botryosphaeria vaccinii* (Dothideales, Dothioraceae)
59 **G. J. Weidemann, D. M. Boone, and H. H. Burdsall, Jr.**

Comparison of ribonucleases from *Cryptococcus laurentii* and *Tremella foliacea*
66 **W. R. Burt and J. Cazin, Jr.**

Additional new and unreported species of mycorrhizal fungi (Endogonaceae) from Florida
77 **N. C. Schenck and G. S. Smith**

Use of isozyme variation to identify genotypic classes of *Agaricus brunnescens*
93 **D. J. Royse and B. May**

Hyphopodia of *Buergenerula spartinae* (Ascomycetes): effect of environmental factors and carbon to nitrogen ratio
103 **A. B. Onyile and R. V. Gessner**

Morphological and physiological studies of the genus *Radiomyces*
110 **D. J. Kitz, R. W. Embree, and J. Cazin, Jr.**

The effect of salinity on the growth of two marine fungi in mixed culture
117 **J. P. Amon and S.-p. Yei**

Light microscopy of karyology during conidiogenesis in *Gliomastix felina*
123 **T. M. Hammill**

South Indian Agaricales—XI
130 **K. Natarajan and B. Manjula**

Differentiation of *Endothia gyrosa* and *Endothia parasitica* by disc electrophoresis of intramycelial enzymes and proteins
138 **R. J. Stipes, G. H. Emert, and R. D. Brown, Jr.**

Brief Articles

Notes on the development of the morel ascocarp: *Morchella esculenta*
142 **R. Ower**

An unusual source for *Apophysomyces elegans* and a method for stimulating sporulation of *Saksenaea vasiformis*
144 **J. J. Ellis and L. Ajello**

Rapid nuclear staining of *Rhizoctonia solani* and related fungi with acridine orange and with safranin O
145 **D. T. Yamamoto and J. Y. Uchida**

The heat resistance of some mesophilic fungi isolated from mushroom compost
149 **C. L. Fergus**

Vesicular-arbuscular mycorrhiza in roots and xylem of *Tradescantia*
152 **R. A. Taber and M. E. Strong**

Vesicular-arbuscular mycorrhiza in rhizomes, scale-like leaves, roots, and xylem of ginger
156 **R. A. Taber and J. M. Trappe**

The identity of an Australian isolate of *Culicinomyces*
162 **A. W. Sweeney, J. N. Couch, and C. Panter**
Ultrastructural studies of Clathraceae and Phallaceae (Gasteromycetes) spores
166 **W. R. Burk, S. L. Flegler, and W. M. Hess**
Instructions to Authors
169

No. 2 March–April 1982

Ultrastructure of septa in *Tieghemiomyces californicus*
173 **A. P. R. Brain, P. Jeffries, and T. W. K. Young**
Quantifying vesicular-arbuscular mycorrhizae using a morphometric technique
182 **R. Toth and D. Toth**
Ultrastructure of the haustorial apparatus of *Exobasidium camelliae*
188 **C. W. Mims**
Structure and development of *Mattirolella crustosa* (Termitariales, Deuteromycetes) on Panamanian termites
201 **J. W. Kimbrough and B. L. Thorne**
The *Aspergillus ochraceus* group: two new species from western soils and a synoptic key
210 **M. Christensen**
Aspergillus nidulans group: *Aspergillus navahoensis*, and a revised synoptic key
226 **M. Christensen and J. S. States**
Conidiogenesis in *Spiniger meineckellus*
236 **R. T. Hanlin**
The impact of *Mattirolella crustosa* (Termitariales, Deuteromycetes) on species of *Nasutitermes* (Isoptera: Termitidae) in Panamá
242 **B. L. Thorne and J. W. Kimbrough**
Citation of authors' names and the typification of names of fungal taxa published between 1753 and 1832 under the changes in the Code of Nomenclature enacted in 1981
250 **R. P. Korf**
Crozier formation in *Byssochlamys nivea*
256 **C. Sautter and B. Hock**
Uromyces trifolii-repentis variety *trifolii-repentis* on *Trifolium repens* in North Carolina
265 **R. E. Welty, C. G. van Dyke, and W. A. Cope**
Spore swelling, germination, and germ tube formation in axenic culture among four species of *Piptocephalis*
271 **L. L. McDaniel and D. F. Hindal**
Tropisms in the mushroom *Psilocybe cubensis*
275 **E. R. Badham**
Occurrence of *Trichoderma* in a Douglas-fir soil
280 **E. E. Nelson**
The classification of *Taphrina* and other fungi with yeast-like cutural states
285 **J. A. von Arx, J. P. van der Walt, and N. V. D. M. Liebenberg**
Polysaccharidase production and cell wall degradation by several salt marsh fungi
297 **A. P. Torzilli**
Nuclear control of sexual differentiation in *Allomyces macrogynus*
303 **T. A. B. Nielsen and L. W. Olson**
Serological differentiation among *formae speciales* and physiological races of *Fusarium oxysporum*
313 **D. Iannelli, R. Capparelli, G. Cristinzio, F. Marziano, F. Scala, and C. Noviello**
Perithecium development in *Gelasinospora tetrasperma*
320 **M. O. Sanni**

Tremelloscypha gelatinosa, a species of a new family Sebacinaceae
325 **K. Wells and F. Oberwinkler**

Brief Articles

An entomophthoralean fungus from Dominican amber
332 **G. O. Poinar, Jr. and G. M. Thomas**

Nitrogen nutrition in the ectomycorrhizal fungus *Pisolithus tinctorius*
334 **T. C. Peeler and J. T. Mullins**

Anastomosis groups of potato isolates of *Rhizoctonia solani* in India
337 **K. Suresh and S. Mall**

Notes on Myxomycetes. III
339 **M. L. Farr**

Gibberella indica: the perfect state of *Fusarium udum*
343 **B. Rai and R. S. Upadhyay**

A new species of *Micropysis* (Leotiaceae)
346 **A. Carter and D. Malloch**

A scanning ultrastructural histochemical procedure for the localization of polysaccharide
348 **S. L. Flegler**

Book Reviews
352

Briefly Noted
355

No. 3 May–June 1982

Alma Whiffen Barksdale, 1916–1981
359 **L. S. Olive**

The appendaged ascospores of *Trichomaris invadens* (Halosphaeriaceae), a marine ascomycetous parasite of the tanner crab, *Chionoecetes bairdi*
363 **D. Porter**

Production of perithecia in culture by *Ceratocystis ulmi*
376 **M. R. Marshall, D. F. Hindal, and W. L. MacDonald**

Taxonomy of the pecan scab fungus *Cladosporium caryigenum*
382 **T. R. Gottwald**

Drechslera nobleae on *Lolium multiflorum* in North America
391 **R. H. Morrison**

Sclerotium production by *Aspergillus flavus* on corn kernels
398 **D. T. Wicklow, B. W. Horn, and R. J. Cole**

Influence of inorganic ions on color of lime in the Myxomycetes
404 **H. C. Aldrich**

Isolation of an apparent temperature-sensitive cell cycle mutant of *Schizophyllum commune*
412 **B. B. Morris and J. J. Motta**

Longevity of *Aspergillus flavus* in corn
423 **C. W. Hesseltine and R. F. Rogers**

Puccinia velutina: a new caricicolous rust and a perfect state of *Aecidium elaeagni*
427 **M. Kakishima and S. Sato**

Sporangiogenesis in three genera of the Saprolegniaceae. I. Pre-sporangium hyphae to early primary spore initial stage
433 **B. L. Armbruster**

In vitro production of pectolytic and cellulolytic enzymes by *Fusarium tricinctum*
460 **R. L. Wick and D. B. Schroeder**

A new graminicolous species of *Xylaria*
467 **J. Boise**

Temperature-sensitivity of light inhibition of uredospore germination in *Melampsora medusae*

472 **S. J. Singh and W. A. Heather**
Ectomycorrhizal fungi of *Tsuga heterophylla*
479 **B. R. Kropp and J. M. Trappe**
New and rare lignicolous Hyphomycetes
489 **C. J. K. Wang and B. C. Sutton**

Brief Articles

Clathrus archeri, a stinkhorn new to North America
501 **D. Arora and W. R. Burk**
A new record for longevity of *Macrophomina phaseolina* sclerotia
504 **D. J. Young, R. L. Gilbertson, and S. M. Alcorn**
Formation of mycorrhizae in *Plantago ovata*
505 **H. E. Bloss**
Near-ultraviolet light in incubation of marine leaf-litter samples
508 **S. Y. Newell and J. W. Fell**
Decomposition of ^{14}C-labeled maple and spruce lignin by marine fungi
511 **J. B. Sutherland, D. L. Crawford, and M. K. Speedie**
Homothallism in *Calonectria ilicicola*
513 **S. A. Alfieri, Jr., N. E. El-Gholl, and C. L. Schoulties**
Occurrence of *Glomus* spores in weed seeds in soil
515 **R. A. Taber**
Aphanandromyces, a new genus of Laboulbeniales (Ascomycetes)
520 **W. Rossi**
Xylaria musooriensis—a new species from India
523 **J. S. Dargan**
The 1978 Georgia Foray
526 **W. B. Cooke**
Book Reviews
532
Briefly Noted
537

No. 4 July–August 1982

Taxonomic studies in the Myxomycetes. V. Significance of peridial and spore ornamentations in the genus *Tubifera,* with a revised key to the species
541 **R. K. Nelson, R. W. Scheetz, and C. J. Alexopoulos**
The mode of germination of *Zoophthora radicans* zygospores
549 **D. F. Perry, D. Tyrrell, and A. J. DeLyzer**
Inviability of interspecific hybrids in the *Coelomomyces dodgei* complex
555 **B. A. Federici**
Pseudocochliobolus verruculosus and variability of conidium morphology
563 **M. Tsuda and A. Ueyama**
Genetic relatedness and its application in selective breeding of *Agaricus brunnescens*
569 **D. J. Royse and B. May**
Notes on Agaricales from arctic tundra in Alaska
576 **O. K. Miller, Jr., G. A. Laursen, and D. F. Farr**
Segregation of the new lichen genus *Foraminella* from *Parmeliopsis*
592 **S. L. F. Meyer**
Three brown-rot fungi in the Corticiaceae
599 **K. K. Nakasone and R. L. Gilbertson**
Spore formation by the cellular slime mold *Fonticula alba*
607 **M. C. Deasey**
Regulation of abscisic acid formation in *Mycosphaerella* (*Cercospora*) *rosicola* by phosphate

614 **D. H. Griffin and D. C. Walton**
A new species of *Badhamia*, with notes on *Physarum bogoriense*
619 **K. D. Whitney and H. W. Keller**
Nutritional factors affecting synnema and dark pigment formation by *Ceratocystis ulmi*
625 **D. C. Bays and D. F. Hindal**
Atractogloea: a new genus in the Hoehnelomycetaceae (Heterobasidiomycetes)
634 **F. Oberwinkler and R. J. Bandoni**
Growth and nutrition of the salt-marsh fungi *Pleospora gaudefroyi* and *Camarosporium roumeguerii*
640 **S. L. Crabtree and R. V. Gessner**
Development of the conidial state of *Myriogenospora atramentosa*
648 **D. M. Rykard, E. S. Luttrell, and C. W. Bacon**
A new species of the protostelid genus *Schizoplasmodiopsis*
655 **L. S. Olive and K. D. Whitney**
A new endemic red-fruited *Cladonia* from the North Carolina coast
662 **W. L. Culberson, C. F. Culberson, and A. Johnson**
Brief Articles
Enrichment of auxotrophic mutants of *Allomyces macrogynus* by a sticky technique
668 **T. A. B. Nielsen**
Rhizomorph cytology and morphogenesis in *Armillaria tabescens*
671 **J. J. Motta and D. C. Peabody**
Taxonomy of a rust fungus parasitizing *Bridelia* species (Euphorbiaceae)
675 **P. Ramachar and G. Bhagyanarayana**
Observations on *Echinostelium bisporum*
677 **K. D. Whitney, W. E. Bennett, and L. S. Olive**
Mycelial interaction zones among single ascospore isolates of *Monilinia fructicola*
681 **R. M. Sonoda, J. M. Ogawa, T. E. Esser, and B. T. Manji**
The effect of water potential on zygospore formation in *Syzygites megalocarpus*
684 **J. D. Kaplan and R. D. Goos**
On *Cephalosporium balanoides* Drechsler
687 **J. A. Dowsett, J. Reid, and A. Hopkin**
In vitro fruiting of *Lyophyllum* not *Laccaria*
691 **D. G. Lahaie**

Notice
693

No. 5 September–October 1982

Discoidins in the sexual cycle of *Dictyostelium discoideum*
695 **G. W. Erdos and D. Whitaker**
Three species of *Lophodermium* from the Himalayas
702 **D. W. Minter and M. P. Sharma**
Hawaiian geastroid fungi
712 **C. W. Smith and P. Ponce de Leon**
Aflatoxin production correlated with nitrification in *Aspergillus flavus* group species
718 **J. P. White and G. T. Johnson**
The development of *Gelasinospora reticulospora*
724 **J. D. Jensen**
Extracellular enzymatic activities in *Aureobasidium pullulans*
738 **F. Federici**
Studies on the genetics of *Mucor hiemalis*
744 **F. R. James and W. Gauger**
Capnocheirides: a new generic name for *Torula rhododendri*
752 **J. L. Crane and S. J. Hughes**

Varieties of *Gibberella fujikuroi* with anamorphs in *Fusarium* section *Liseola*
759 **E. G. Kuhlman**

Vesicular-arbuscular mycorrhizae of Southern Ontario ferns and fern-allies
769 **S. M. Berch and B. Kendrick**

Adhesive material of the hyphopodia of *Buergenerula spartinae*
777 **A. B. Onyile, H. H. Edwards, and R. V. Gessner**

Mycorrhizal fungal spore numbers and species occurrence in two amended mine spoils in Alberta, Canada
785 **J. C. Zak, R. M. Danielson, and D. Parkinson**

A re-interpretation of the sexuality of *Thanatephorus cucumeris* anastomosis group four
793 **G. C. Adams, Jr. and E. E. Butler**

Interaction of higher marine fungi with the herbicide atrazine. I. Survey of interactive modes
801 **M. J. Schocken, M. K. Speedie, and P. W. Kirk, Jr.**

The fine structure of septa and haustoria of *Cronartium quercuum* formae speciales *fusiforme* on *Quercus rubra*
809 **S. R. Khan, J. W. Kimbrough, and P. G. Webb**

Factors influencing zoospore production in liquid cultures of *Lagenidium giganteum* (Oomycetes, Lagenidiales)
820 **A. J. Domnas, S. M. Fagan, and S. Jaronski**

An improved defined medium for growth of *Endothia parasitica*
826 **S. L. Anagnostakis**

Effect of citrus root exudates on germination of chlamydospores of the vesicular-arbuscular mycorrhizal fungus, *Glomus epigaeum*
831 **J. H. Graham**

The fungal flora of bark of *Fagus grandifolia*
836 **H. Van T. Cotter and R. O. Blanchard**

Brief Articles

Scanning electron microscopy of *Pseudogymnoascus roseus*
844 **A. Tsuneda**

Quantitative determinations of the temperature and pH stability of extracellular amylase obtained from *Mucor pusillus*
847 **J. J. Deploey, M. Nasta, and P. R. Adams**

Association of UDPG transferase activity with cell walls of *Achlya ambisexualis*
851 **T. W. Hill and J. T. Mullins**

Foliicolous fungi from Brazil: the new genus *Veralucia*
854 **D. R. Reynolds and P. H. Dunn**

Family Elaeomyxaceae (Myxomycetes) validated
857 **M. L. Farr and H. W. Keller**

Acaulospora bireticulata inside oribatid mites
859 **S. C. Rabatin and L. H. Rhodes**

Germination of zygospores of *Endogone incrassata*
861 **S. M. Berch and J. A. Fortin**

Notice
864

Errata
864

No. 6 November–December 1982

Tricholosporum and notes on *Omphaliaster* and *Clitocybe*
865 **T. J. Baroni**

New or interesting microfungi. VII. Two new Hyphomycetes from *Pericopsis angolensis* leaf litter
872 **P. M. Kirk**

Mycorrhizal fungi associated with *Bouteloua* and *Agropyron* in Wyoming sagebrush–grasslands

877 **P. D. Stahl and M. Christensen**

The aerobiology of an environmental test chamber
886 **B. J. Wiley, R. L. Hebert, J. Armstrong, and A. M. Kaplan**

The influence of temperature on the seasonal and geographic distribution of three marine fungi
894 **P. E. Boyd and J. Kohlmeyer**

Rust fungi (Uredinales) on Cupressaceae
903 **R. S. Peterson**

Bifactorial heterothallism and vegetative diploidy in *Clitocybe tabescens*
911 **J. B. Anderson**

Influence of nutrition, environment, and the isolate, on basidiocarp formation, development, and structure in *Athelia (Sclerotium) rolfsii*
917 **Z. K. Punja, R. G. Grogan, and G. C. Adams, Jr.**

Sporangial caducity and pedicel length of *Phytophthora nicotianae* variety *parasitica*
927 **P. J. Trichilo and M. Aragaki**

Dendrostilbella hanlinii, a new synnematal hyphomycete from forest soil in Georgia
932 **T. M. Hammill and J. S. Shipman**

Biological delignification of ^{14}C-labeled lignocelluloses by Basidiomycetes: degradation and solubilization of the lignin and cellulose components
943 **S. N. Freer and R. W. Detroy**

Spore germination and germ tube growth of a vesicular-arbuscular mycorrhizal fungus *in vitro*
952 **J. O. Siqueira, D. H. Hubbell, and N. C. Schenck**

Ultrastructure of ascus and ascospore development in *Chaetomium brasiliense*
960 **W. C. Rosing**

Sporangiogenesis in three genera of the Saprolegniaceae. II. Primary spore initial to secondary spore initial stage
975 **B. L. Armbruster**

Effects of aeration and light on apothecia, sclerotia, and mycelial growth in the discomycete *Pyronema domesticum*
1000 **E. Moore-Landecker and W. Shropshire, Jr.**

Brief Articles

Alternative methods for drying fungi and controlling insects in herbaria
1014 **J. M. Trappe**

Elemental composition of *Clastoderma debaryanum* stalks
1016 **R. K. Nelson and R. W. Scheetz**

The inability of *Phragmidium* species to infect species of *Agropyron*
1020 **J. W. Baxter**

Thermophilic and thermotolerant fungi isolated from mangrove swamps
1021 **A. K. Jaitly and J. N. Rai**

New or interesting Laboulbeniales from China
1023 **W. Rossi**

Gigaspora spores and associated hyperparasites in weed seeds in soil
1026 **R. A. Taber**

Unidentified organelles and vacuoles in *Tilletia* teliospores
1032 **J. K. Oh and W. M. Hess**

South Indian Agaricales XIX—a new species of *Ripartites*
1037 **K. Natarajan and N. Raman**

Schizophyllum commune as a possible mycotoxin producer in association with sorghum grain
1041 **A. S. Foudin and O. H. Calvert**

Notice
1044

Index
1045